

# バリデーションガイドライン 添付4 使用可能なCSS一覧

項番	プロパティ名	プロパティ値	定義可能要素(Default : all)
1	azimuth	<angle> [ left-side   far-left   left   center-left   center   center-right   right   far-right   right-side ]    behind leftwards rightwards inherit	
2	background-attachment	scroll fixed inherit	
3	background-color	<color> transparent inherit	
4	background-image	<uri> none inherit	
5	background-position	[ <percentage>   <length>   left   center   right ] [ <percentage>   <length>   top   center   bottom ]? [ left   center   right ]    [ top   center   bottom ] inherit	
6	background-repeat	repeat repeat-x repeat-y no-repeat inherit	
7	background	'background-color'    'background-image'    'background-repeat'    'background-attachment'    'background-position' inherit	
8	border-collapse	collapse separate inherit	'table' and 'inline-table' elements
9	border-color	[ <color>   transparent ] {1,4} inherit	
10	border-spacing	<length> <length>? inherit	'table' and 'inline-table' elements
11	border-style	<border-style> {1,4} inherit	
12	border-top	<border-width>    <border-style>    'border-top-color' inherit	
13	border-right	<border-width>    <border-style>    'border-top-color' inherit	
14	border-bottom	<border-width>    <border-style>    'border-top-color' inherit	
15	border-left	<border-width>    <border-style>    'border-top-color' inherit	
16	border-top-color	<color> transparent inherit	
17	border-right-color	<color> transparent inherit	
18	border-bottom-color	<color> transparent inherit	

## バリデーションガイドライン 添付4 使用可能なCSS一覧

項番	プロパティ名	プロパティ値	定義可能要素(Default : all)
19	border-left-color	<color>	
		transparent	
		inherit	
20	border-top-style	<border-style>	
		inherit	
21	border-right-style	<border-style>	
		inherit	
22	border-bottom-style	<border-style>	
		inherit	
23	border-left-style	<border-style>	
		inherit	
24	border-top-width	<border-width>	
		inherit	
25	border-rigth-width	<border-width>	
		inherit	
26	border-bottom-width	<border-width>	
		inherit	
27	border-left-width	<border-width>	
		inherit	
28	border-wdith	<border-width>{1, 4}	
		inherit	
29	border	<border-width>    <border-style>    'border-top-color'	
		inherit	
		inherit	
30	bottom	<length>	positioned elements
		<percentage>	
		auto	
		inherit	
31	caption-side	top	'table-caption' elements
		bottom	
		inherit	
32	clear	none	block-level elements
		left	
		right	
		both	
		inherit	
33	clip	<shape>	absolutely positioned elements
		auto	
		inherit	
34	color	<color>	
		inherit	
35	content	normal	:before and :after pseudo-elements
		none	
		[ <string>   <uri>   <counter>   attr(<identifier>)   open-quote   close-quote   no-open-quote   no-close-quote ]+	
		inherit	
		inherit	
36	counter-increment	[ <identifier> <integer>? ]+	
		none	
		inherit	
37	counter-reset	[ <identifier> <integer>? ]+	
		none	
		inherit	
38	cue-after	<uri>	
		none	
		inherit	
39	cue-before	<uri>	
		none	
		inherit	
40	cue	'cue-before'    'cue-after'	
		inherit	

## バリデーションガイドライン 添付4 使用可能なCSS一覧

項番	プロパティ名	プロパティ値	定義可能要素(Default : all)
41	cursor	[<uri> ,]* [ auto   crosshair   default   pointer   move   e-resize   ne-resize   nw-resize   n-resize   se-resize   sw-resize   s-resize   w-resize   text   wait   help   progress ] inherit	
42	display	inline block list-item inline-block table inline-table table-row-group table-header-group table-footer-group table-row table-column-group table-column table-cell table-caption none inherit	
43	elevation	<angle> below level above higher lower inherit	
44	empty-cells	show hide inherit	'table-cell' elements
45	float	left right none inherit	all but see 9.7 ※CSS2.1公開仕様 <a href="http://www.w3.org/TR/CSS21/visuren.html#dis-pos-flo">http://www.w3.org/TR/CSS21/visuren.html#dis-pos-flo</a> を参照
46	font-family	[ <family-name>   <generic-family> ] [ , <family-name>   <generic-family> ]* inherit	
47	font-size	<absolute-size> <relative-size> <length> <percentage> inherit	
48	font-style	normal italic oblique inherit	
49	font-weight	normal bold bolder lighter 100 200 300 400 500 600 700 800 900 inherit	

## バリデーションガイドライン 添付4 使用可能なCSS一覧

項番	プロパティ名	プロパティ値	定義可能要素(Default : all)
50	font	[ 'font-style'    'font-variant'    'font-weight' ]? 'font-size' [ / 'line-height' ]? 'font-family'	
		caption	
		icon	
		menu	
		message-box	
		small-caption	
		status-bar	
		inherit	
51	height	<length>	all elements but non-replaced inline elements, table columns, and column groups
		<percentage>	
		auto	
		inherit	
52	left	<length>	positioned elements
		<percentage>	
		auto	
		inherit	
53	letter-spacing	normal	
		<length>	
		inherit	
54	line-height	normal	
		<number>	
		<length>	
		<percentage>	
		inherit	
55	list-style-image	<uri>	elements with 'display: list-item'
		none	
		inherit	
56	list-style-position	inside	elements with 'display: list-item'
		outside	
		inherit	
57	list-style-type	disc	elements with 'display: list-item'
		circle	
		square	
		decimal	
		decimal-leading-zero	
		lower-roman	
		upper-roman	
		lower-greek	
		lower-latin	
		upper-latin	
		lower-alpha	
		upper-alpha	
		none	
		inherit	
58	list-style	'list-style-type'    'list-style-position'    'list-style-image'	elements with 'display: list-item'
		inherit	
59	margin-right	<margin-width>	all elements except elements with table display types other than table-caption, table and inline-table
		inherit	
60	margin-left	<margin-width>	all elements except elements with table display types other than table-caption, table and inline-table
		inherit	
61	margin-top	<margin-width>	all elements except elements with table display types other than table-caption, table and inline-table
		inherit	
62	margin-bottom	<margin-width>	all elements except elements with table display types other than table-caption, table and inline-table
		inherit	

## バリデーションガイドライン 添付4 使用可能なCSS一覧

項番	プロパティ名	プロパティ値	定義可能要素(Default : all)
63	margin	<margin-width>{1, 4}	all elements except elements with table display types other than table-caption, table and inline-table
		inherit	
64	max-height	<length>	all elements but non-replaced inline elements, table columns, and column groups
		<percentage>	
		none	
		inherit	
65	max-width	<length>	all elements but non-replaced inline elements, table rows, and row groups
		<percentage>	
		none	
		inherit	
66	min-height	<length>	all elements but non-replaced inline elements, table columns, and column groups
		<percentage>	
		inherit	
67	min-width	<length>	all elements but non-replaced inline elements, table rows, and row groups
		<percentage>	
		inherit	
68	orphans	<integer>	block container elements
		inherit	
69	outline-color	<color>	
		invert	
		inherit	
70	outline-style	<border-style>	
		inherit	
71	outline-width	<border-width>	
		inherit	
72	outline	'outline-color'    'outline-style'    'outline-width'	
		inherit	
73	overflow	visible	block containers
		hidden	
		scroll	
		auto	
		inherit	
74	padding-top	<padding-width>	all elements except table-row-group, table-header-group, table-footer-group, table-row, table-column-group and table-column
		inherit	
75	padding-right	<padding-width>	all elements except table-row-group, table-header-group, table-footer-group, table-row, table-column-group and table-column
		inherit	
76	padding-bottom	<padding-width>	all elements except table-row-group, table-header-group, table-footer-group, table-row, table-column-group and table-column
		inherit	
77	padding-left	<padding-width>	all elements except table-row-group, table-header-group, table-footer-group, table-row, table-column-group and table-column
		inherit	
78	padding	<padding-width>{1, 4}	all elements except table-row-group, table-header-group, table-footer-group, table-row, table-column-group and table-column
		inherit	
79	page-break-after	auto	block-level elements (but see text) ※CSS2.1公開仕様 <a href="http://www.w3.org/TR/CSS21/page.html#propdef-page-break-after">http://www.w3.org/TR/CSS21/page.html#propdef-page-break-after</a> を参照
		always	
		avoid	
		left	
		right	
80	page-break-before	inherit	block-level elements (but see text) ※CSS2.1公開仕様 <a href="http://www.w3.org/TR/CSS21/page.html#propdef-page-break-before">http://www.w3.org/TR/CSS21/page.html#propdef-page-break-before</a> を参照
		auto	
		always	
		avoid	
		left	
		right	
		inherit	

## バリデーションガイドライン 添付4 使用可能なCSS一覧

項番	プロパティ名	プロパティ値	定義可能要素(Default : all)
81	page-break-inside	avoid	
		auto	
		inherit	
82	pause-after	<time>	
		<percentage>	
		inherit	
83	pause-before	<time>	
		<percentage>	
		inherit	
84	pause	[<time>   <percentage>]{1,2}	
		inherit	
85	pitch-range	<number>	
		inherit	
86	pitch	<frequency>	
		x-low	
		low	
		medium	
		high	
		x-high	
		inherit	
87	play-during	<uri> [ mix    repeat ]?	
		auto	
		none	
		inherit	
88	position	static	
		relative	
		absolute	
		fixed	
		inherit	
89	quotes	[<string> <string>]+	
		none	
		inherit	
90	richness	<number>	
		inherit	
91	right	<length>	positioned elements
		<percentage>	
		auto	
		inherit	
92	speak-header	once	elements that have table header information
		always	
		inherit	
93	speak-numeral	digits	
		continuous	
		inherit	
94	speak-punctuation	code	
		none	
		inherit	
95	speak	normal	
		none	
		spell-out	
		inherit	
96	speech-rate	<number>	
		x-slow	
		slow	
		medium	
		fast	
		x-fast	
		faster	
		slower	
		inherit	
97	stress	<number>	
		inherit	

## バリデーションガイドライン 添付4 使用可能なCSS一覧

項番	プロパティ名	プロパティ値	定義可能要素(Default : all)
98	table-layout	auto	table' and 'inline-table' elements
		fixed	
		inherit	
99	text-align	left	block containers
		right	
		center	
		justify	
		inherit	
100	text-decoration	none	
		underline    overline    line-through    blink	
		inherit	
101	text-indent	<length>	block containers
		<percentage>	
		inherit	
102	text-justify	auto	
		distribute	
		distribute-all-lines	
		inter-cluster	
		inter-ideograph	
		inter-word	
		kashida	
		newspaper	
103	text-transform	capitalize	
		uppercase	
		lowercase	
		none	
		inherit	
104	top	<length>	positioned elements
		<percentage>	
		auto	
		inherit	
105	vertical-align	baseline	inline-level and 'table-cell' elements
		sub	
		super	
		top	
		text-top	
		middle	
		bottom	
		text-bottom	
		<percentage>	
		<length>	
106	visibility	visible	
		hidden	
		collapse	
		inherit	
107	voice-family	[<specific-voice>   <generic-voice> ],]*	
		[<specific-voice>   <generic-voice>	
		inherit	
108	volume	<number>	
		<percentage>	
		silent	
		x-soft	
		soft	
		medium	
		loud	
		x-loud	
		inherit	

## バリデーションガイドライン 添付4 使用可能なCSS一覧

項番	プロパティ名	プロパティ値	定義可能要素(Default : all)
109	white-space	normal	
		pre	
		nowrap	
		pre-wrap	
		pre-line	
		inherit	
110	widows	<integer>	block container elements
		inherit	
111	width	<length>	all elements but non-replaced inline elements, table rows, and row groups
		<percentage>	
		auto	
		inherit	
112	word-spacing	normal	
		<length>	
		inherit	
113	z-index	auto	positioned elements
		<integer>	
		inherit	
114	@page margin-right	<margin-width>	all elements except elements with table display types other than table-caption, table and inline-table
		inherit	
115	@page margin-left	<margin-width>	all elements except elements with table display types other than table-caption, table and inline-table
		inherit	
116	@page margin-top	<margin-width>	all elements except elements with table display types other than table-caption, table and inline-table
		inherit	
117	@page margin-bottom	<margin-width>	all elements except elements with table display types other than table-caption, table and inline-table
		inherit	
118	@page margin	<margin-width>{1, 4}	all elements except elements with table display types other than table-caption, table and inline-table
		inherit	